

# FILTRALITE<sup>®</sup> Safety Data Sheet Filtralite<sup>®</sup> P

SDS according to Regulation (EC) No. 1272/2008

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

11.05.2021
Filtralite P Filtralite P 0,5-4 Filtralite P 0-4

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product group	Expanded clay and dolomite
Use of the substance/preparation	For use in water filtration

#### 1.3. Details of the supplier of the safety data sheet

Company name	Leca Norge AS
Postal address	Årnesvegen 1
Postcode	N-2009
City	Nordby
Country	Norway
Telephone	+47 90 96 51 00
E-mail	info@leca.no
Website	www.filtralite.com
Enterprise no.	NO 918 799141 MVA/VAT
Contact person	Tone Storbråten

#### 1.4. Emergency telephone number

Emergency telephone	GIFTINFORMASJONSSENTRALEN: +47 22 59 13 00

# **SECTION 2. HAZARD IDENTIFICATION**

#### 2.1. Classification of substance or mixture

#### 2.2.Label elements

Hazard pictograms	
Signal word:	Danger







Precautionary statements	H314 Causes severe skin burns and eye damage. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
According Regulation (EC) No. 1272/2008	EUH210 - Safety data sheet available on request
2.3.Other hazards	

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Information codename:	P: for phosphor removal. Contain burned dolomite

# **SECTION 4. FIRST AID MEASURES**

General	Material is non-poisonous. Avoid dust
Inhalation	Avoid breathing dust. Move the exposed person to fresh air at once. Get medical advice/attention if you feel unwell
Skin contact	Rinse with water.
Eye contact	Do not rub eye. Promptly wash eyes with plenty of water while lifting the eye lids. Make sure to remove any contact lenses from the eyes before rinsing. Contact physician if discomfort continues
Ingestion	Drink plenty of water. Do not induce vomiting. Get medical attention if any discomfort continues

#### **SECTION 5. FIREFIGHTING MEASURES**

#### 5.1.Extinguishing media

Suitable extinguishing media Not relevant
---

#### 5.2. Special hazards arising from the substance or mixture

Fire and explosion hazards	No specific precautions
----------------------------	-------------------------

#### **5.3.Advice for firefighters**

Fire fighting procedures	No specific firefighting procedure given
Other information	Use methods suitable to surrounding conditions. The product has excellent fire resistance and classified as non-combustible material

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	Avoid generation of and spreading of dust	
Personal protection measures	Wear necessary protective equipment. See section 8. Avoid inhaling of dust, avoid dust in eyes	
6.2.Environmental precautions		
Environmental precautionary measures	Not harmful to the environment. Avoid spreading to drainage, water or soil	
6.3. Methods and material for containment and cleaning up procedures		
Cleaning method	Avoid generation of and spreading of dust	
	to have a d	

FILTRALITE A Saint-Gobain brand

Leca Norge AS - Reg. of ent. NO 918 799141 MVA/VAT Årnesvegen 1 • N-2009 Nordby • Norway Telephone: +47 90 96 51 00





# **SECTION 7. HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Handling	Ensure adequate

# Ensure adequate ventilation at places where dust can be generated

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage	conditions
---------	------------

None

#### 7.3.Specific end use(s)

Specific use

No additional data

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Limitation of exposure on workplace	An eye wash bottle must be available at the work site. Provide adequate ventilation
Technical measures to prevent exposure	Provide appropriate exhaust ventilation at machinery and at places where dust can be generated
Respiratory protection	In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter type FFP2
Hand protection	It is recommended to use gloves when handling the material
Eye protection	Use tight fitting goggles if dust is generated

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical stage	Granular
Color	Grey, with white spots
Odor	No characteristic odor
рН	11-12
Melting point/melting range	1300 °C
Comments – Boiling point/boiling range	Not relevant
Comments – Flash point	Product is not flammable
Particle density	750-1200 kg/m³
Bulk density	300-500 kg/m³
Solubility in water	Insoluble

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	Stable. Product is not flammable
Possibility of hazardous reactions	Filtralite P will react with acid
Hazardous decomposition products	No hazardous decomposition products

# **SECTION 11. TOXICOLOGICAL INFORMATION**

General	No specific health warnings noted. High concentrations of dust can irritate eyes, skin and bronchia.
Inhalation	Dust is severely irritating to the upper respiratory system

# FILTRALITE<sup>®</sup> A Saint-Gobain brand

Leca Norge AS - Reg. of ent. NO 918 799141 MVA/VAT Årnesvegen 1 • N-2009 Nordby • Norway Telephone: +47 90 96 51 00





Skin contact	Prolonged contact may cause irritation
Eye contact	Dust in the eyes will cause irritation
Ingestion	May cause discomfort if swallowed

# **SECTION 12. ECOLOGICAL INFORMATION**

#### 12.1.Ecotoxicity

Eco toxicity	The product is not expected to be hazardous to the environment
Bio accumulative potential	Will not bio-accumulate
Mobility in soil	Not regarded as dangerous for the environment, but could affect pH in soil and water. Dry material floats on water. Depending on the particle density and moisture absorption material will eventually sink to the bottom
Environmental details, summation	The product is developed as a filter material associated with water purification. The product does not contain any hazardous substances

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **13.1.Waste treatment methods**

Specify the appropriate methods of disposal	Sweep or vacuum up dry material. Avoid creating dust. Dispose product according to national regulations
Product classified as hazardous waste	No
EWC waste code	EWC: 101203 particulates and dust EWC: 170103 tiles and ceramics

# **SECTION 14. TRANSPORT INFORMATION**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID)
the IBC Code	

# **SECTION 15. REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-directive	Regulations on the registration, evaluation, authorization and restriction of chemicals (REACH)

#### 15.2. Chemical safety assessment

		Information in this Safety Data Sheet is not to be considered as the users risk evaluation. The user is responsible for necessary precautions to fulfil requirements
--	--	--

#### **SECTION 16. OTHER INFORMATION**

Supplier's notes	This information only applies for the above product, and may necessarily not be applicable if the product is used together with one or more other products, or as part of a process. The datasheet is made on the basis of information given by the manufacturer. It is the individual receiver's duty to ensure that the information provided in this MSDS is read and understood by everyone who uses, handle or in any way come in contact with the product
Version	4
Responsible for safety data sheet	Leca Norge AS
Prepared by	Tone Storbråten

# FILTRALITE<sup>®</sup> A Saint-Gobain brand

Leca Norge AS - Reg. of ent. NO 918 799141 MVA/VAT Årnesvegen 1 • N-2009 Nordby • Norway Telephone: +47 90 96 51 00